



NOTES:

- All signs, markings and safety zones will be in accordance with Traffic Signs Manual.
- Sign locations are indicative only and exact locations will be determined on site.
- Works Access and Egress locations to be agreed on site and any changes to the design should be reported.

DETAIL A

Running lane(s) Hard Shoulder

Prescribed sign to Diagram 610 above and behind cones

Three only close spaced 750mm or 1m high traffic cones

Notes:
1) During darkness, a single warning light to BS EN 12352:2006 should be provided.
2) Traffic cones should conform to diagram 7101.1 and to BS EN 13422.

DETAIL B

Single/Dual carriageway 40mph or less - 450mm cones, spacing 1.5m.
Single/Dual carriageway 50mph or more - 750mm cones, spacing 1.5m.
Dual carriageway national speed limit - 750mm cones, spacing 1.5m, relaxation 3m.

Notes:
1) During darkness, warning lights to BS EN 12352:2006 should be provided in accordance with Table A1.3 (Appendix 1).
2) 45° tapers have 1.5m spacing, no relaxations.
3) On motorways and NSL AP duals with hard shoulders, 1m cones will be required for both standard and relaxation works for lead tapers and the facing wall of lane changes.

DETAIL C1

Single/Dual carriageway 40mph or less - 450mm traffic cones.
Single/Dual carriageway 50mph or more - 750mm traffic cones.

Notes:
1) During darkness, warning lights to BS EN 12352:2006 should be provided in accordance with Table A1.3 (Appendix 1).
2) For relaxation to Detail C1 see Table A1.3 (Appendix 1).

DETAIL D

Single/Dual carriageway 40mph or less - 450mm traffic cones.
Single/Dual carriageway 50mph or more - 750mm traffic cones.

Notes:
1) During darkness, warning lights to BS EN 12352:2006 should be provided in accordance with Table A1.3 (Appendix 1).
2) Detail D applies only to relaxation cases.

Key:

- Safety Zone
- Works Area
- Road Closed
- Diversions
- Pedestrian Route
- Cone or Road Marking Detail
- Sign
- Cone Line

Revision	By	Checked	Approved	Date	Description

Amey

Title: **M4 JUNCTION 23A
MAGOR INTERCHANGE SCHEME
DIVERSION DETAILS**

SHEET 1

Designed	DP	09.12.25	Eng Chk.	x	x
Drawn	DP	09.12.25	Coordination	x	x
Dwg Chk.	BD	09.12.25	Approved	x	x
Scale at A3	NTS			x	X
Drawing No	AUX-TTM-AMEY-676-M4-J23A-MAGOR-SCHEME-PH01.2				Rev
					X

A3

Sign Schedule		Sign Schedule		Sign Schedule		Sign Schedule		Sign Schedule	
	ID: 001 Qty: 2 Ref: 13.9 Schedule 13-9 : Temporary Information		ID: 004 Qty: 1 Ref: 2702 Diversion		ID: 007 Qty: 2 Ref: 13.9 Schedule 13-9 : Temporary Information		ID: 010 Qty: 4 Ref: 2703 Diverted traffic		ID: 013 Qty: 14 Ref: 2703 Diverted traffic
	ID: 002 Qty: 2 Ref: 13.9 Schedule 13-9 : Temporary Information		ID: 005 Qty: 1 Ref: 13.9 Schedule 13-9 : Temporary Information		ID: 008 Qty: 4 Ref: 2703 Diverted traffic		ID: 011 Qty: 3 Ref: 2702 Diversion Ends		
	ID: 003 Qty: 1 Ref: 13.9 Schedule 13-9 : Temporary Information		ID: 006 Qty: 4 Ref: 13.9 Schedule 13-9 : Temporary Information		ID: 009 Qty: 4 Ref: 2703 Diverted traffic		ID: 012 Qty: 23 Ref: 2704 Diverted traffic		